

***BID ADDENDUM***

**FAILURE TO RETURN THIS BID ADDENDUM IN ACCORDANCE WITH INSTRUCTIONS MAY SUBJECT YOUR BID TO REJECTION ON THE AFFECTED ITEM(S)/SERVICES.**

**Bid Number: 18-4210-01**

**Bid Opening Date/Time: APRIL 16, 2018, 10:00 A.M.**

**Description: PUBLIC WORKS RESURFACING PROJECT**

**Addendum Number: -01**

**Addendum Date: APRIL 12, 2018**

**INSTRUCTIONS:**

1. Return one properly executed copy of this addendum with bid response or **prior** to the Bid Opening Date/Time listed above.
2. Attached is the response to questions submitted regarding the above referenced Invitation for Bid:

\*\*\*\*\*

3. Check **ONE** of the following options:

- Bid has **not** been sent. **Any changes** resulting from this addendum are included in our bid.
- Bid has already been sent. **No changes** resulted from this addendum.
- Bid has already been sent. Changes resulting from this addendum are as follows:

**Execute Addendum:**

**Bidder:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Name and Title (Typed):** \_\_\_\_\_

**Date:** \_\_\_\_\_

**ADDENDUM NO. 1**

**SECTION II-SPECIFICATIONS**

- 1) **A. BID TABULATION SHEET, PG 1- 4.**

**SECTION III-ATTACHMENTS/FORMS**

- 2) **B. CONTRACTORS INSURANCE REQUIREMENTS AND BONDING**

**ADD THE REQUIREMENT THAT ALL BIDDERS ARE REQUIRED TO PROVIDE A 5 % BID BOND WITH BID. It can be provide on the Contractor's Standard form or on the AIA Bid Bond form.**

- 3) Labor warranty changed to 1 year
- 4) Paint Spec: Added 'High Build' to Bid Tab
- 5) Driveway turnouts: feather down
- 6) Topping on Summit Dr: added to Bid Tab
- 7) Bituminous Prim on Commodore and Summit: We will not do any prime

UPDATED 4/12/18

<b>Commodore Drive (FROM Admiralty Way TO Pennington Road): Length 6,125 ft, Width 20 ft (13,611 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	919	TONS	9.5 mm recycled asphalt superpave @ 135 lbs/sy
Binder Coarse	402-3100	1497	TONS	19 mm recycled asphalt superpave @ 220 lbs/sy
Bitum Tack Coat	413-1000	1410	GAL	0.04 Gal/SY
Striping	652-2501	2.6	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	2.6	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	20	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
<b>TOTAL:</b>				
Additional Comments:				

<b>Summit Drive/Summit Road (FROM Lake Laurel Road TO Cul-de-Sacs): Length 1900 ft, Width 20 ft (4300 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	473	TONS	9.5 mm recycled asphalt superpave @ 135 lbs/sy
Binder Coarse	402-3100	1497	TONS	19 mm recycled asphalt superpave @ 220 lbs/sy
Bitum Tack Coat	413-1000	172	GAL	0.04 Gal/SY
Striping	652-2501	0.72	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	0.72	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	20	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
<b>TOTAL:</b>				
Additional Comments: <b>County will do patching</b>				

<b>Lake Drive (FROM Forte Drive TO Dead End): Length 2851 ft, Width 19 ft (6019 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	497	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	100	TONS	3" of Recycled asphalt incl bitum mat and H lime
Leveling	402-1812	105	TONS	Recycled asphalt incl bitum mat and H lime @ 35 lbs/sy
Bitum Tack Coat	413-1000	241	GAL	0.04 Gal/SY
Striping	652-2501	1.08	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	1.08	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	10	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
<b>TOTAL:</b>				
Additional Comments:				

Page 1 Total:

<b>Knight Drive (FROM Sinclair Marina Road TO Dead End): Length 2270 ft, Width 18 ft (4540 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	375	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	100	TONS	3" of Recycled asphalt incl bitum matt and H lime
Leveling	402-1812	80	TONS	Recycled asphalt incl bitum matt and H lime @ 35 lbs/sy
Bitum Tack Coat	413-1000	182	GAL	0.04 Gal/SY
Striping	652-2501	0.86	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	0.86	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	10	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
TOTAL:				
Additional Comments:				

<b>Kelli Lane (FROM Lawrence Road TO Cul-de-sac): Length 2140 ft, Width 19 ft (4518 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	373	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	100	TONS	3" of Recycled asphalt incl bitum matt and H lime
Leveling	402-1812	80	TONS	Recycled asphalt incl bitum matt and H lime @ 35 lbs/sy
Bitum Tack Coat	413-1000	181	GAL	0.04 Gal/SY
Striping	652-2501	0.81	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	0.81	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	10	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
TOTAL:				
Additional Comments:				

<b>Ogden Road (FROM Irwinton Road TO Thomasfield Road): Length 1690 ft, Width 20 ft (3756 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	310	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	75	TONS	3" of Recycled asphalt incl bitum matt and H lime
Leveling	402-1812	66	TONS	Recycled asphalt incl bitum matt and H lime @ 35 lbs/sy
Bitum Tack Coat	413-1000	150	GAL	0.04 Gal/SY
Striping	652-2501	0.64	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	0.64	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	20	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
Water Valve	611-8140	1	EA	Adjust Valve Box to Grade
TOTAL:				
Additional Comments:				

<b>Marion Street (FROM Thompson Circle TO Dead End): Length 312 ft, Width 20 ft (693 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	58	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	15	TONS	3" of Recycled asphalt incl bitum mat and H lime
Bitum Tack Coat	413-1000	28	GAL	0.04 Gal/SY
Striping	653-1704	10	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
Water Valve	611-8140	1	EA	Adjust Valve Box to Grade
<b>TOTAL:</b>				
Additional Comments:				

<b>Third Street (FROM Oglethorpe Ave TO 4th Street): Length 1431 ft, Width 20 ft (3180 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	215	TONS	9.5 mm recycled asphalt superpave @ 135 lbs/sy
Patching	402-1802	50	TONS	3" of Recycled asphalt incl bitum mat and H lime
Bitum Tack Coat	413-1000	127	GAL	0.04 Gal/SY
Striping	653-1704	40	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
Water Valve	611-8140	1	EA	Adjust Valve Box to Grade
Manhole	611-8050	1	EA	Adjust Manhole Frame to Grade
<b>TOTAL:</b>				
Additional Comments:				

<b>Ramsey Street (FROM 4th Street TO 1st Street): Length 1378 ft, Width 19 ft (2909 sy)</b>				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	240	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	50	TONS	3" of Recycled asphalt incl bitum mat and H lime
Leveling	402-1812	51	TONS	Recycled asphalt incl bitum mat and H lime @ 35 lbs/sy
Bitum Tack Coat	413-1000	117	GAL	0.04 Gal/SY
Striping	653-1704	60	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
Water Valve	611-8140	2	EA	Adjust Valve Box to Grade
Manhole	611-8050	3	EA	Adjust Manhole Frame to Grade
<b>TOTAL:</b>				
Additional Comments:				

Avant Ave (FROM Forte Drive TO Dead End): Length 920 ft, Width 12 ft (1226 sy)				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	102	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Bitum Tack Coat	413-1000	50	GAL	0.04 Gal/SY
Striping	653-1704	10	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
TOTAL:				
Additional Comments: <b>County will do patching</b>				

Ivey Drive (FROM Frank Bone Road TO Allen Memorial Drive): Length 6230 ft, Width 22 ft (15228 sy)				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	1256	TONS	9.5 mm recycled asphalt superpave @ 165 lbs/sy
Patching	402-1802	200	TONS	3" of Recycled asphalt incl bitum matt and H lime
Bitum Tack Coat	413-1000	609	GAL	0.04 Gal/SY
Striping	652-2501	2.36	L. MILE	Solid Traffic Stripe, 5 in White Edge High Build
Striping	652-2502	2.36	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	20	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
Water Valve	611-8140	1	EA	Adjust Valve Box to Grade
TOTAL:				
Additional Comments:				

Wolverine Street (FROM Thomas Street TO Swint Ave): Length 2640 ft, Width 20 ft (5866 sy)				
TREATMENT:	ITEM #:	QUANTITY:	UNITS:	NOTES:
Overlay	402-3100	484	TONS	9.5 mm recycled asphalt superpave @ 135 lbs/sy
Patching	402-1802	125	TONS	3" of Recycled asphalt incl bitum matt and H lime
Leveling	402-1812	103	TONS	Recycled asphalt incl bitum matt and H lime @ 35 lbs/sy
Bitum Tack Coat	413-1000	236	GAL	0.04 Gal/SY
Striping	652-2502	0.5	L. MILE	Solid Traffic Stripe, 5 in Yellow Centerline High Build
Striping	653-1704	60	L. FOOT	Thermoplastic Solid Traffic Stripe, 24 in White
Water Valve	611-8140	7	EA	Adjust Valve Box to Grade
Manhole	611-8050	10	EA	Adjust Manhole Frame to Grade
TOTAL:				
Additional Comments:				

Page 1 Total:	
Page 2 Total:	
Page 3 Total:	
Grand Total:	